

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


» Se

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **145** of **1062489** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

din

Search

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Research on distributed load control for DIN***Liu Yanming; Ma Yuxiang; Yi Kechu;*

Intelligent Control and Automation, 2002. Proceedings of the 4th World Congress on , Volume: 1 , 10-14 June 2002

Pages:564 - 568 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(330 KB\)\]](#) **IEEE CNF**
2 Development of a standard measurement to predict subjective flutt*McKnight, J.;*

Audio and Electroacoustics, IEEE Transactions on , Volume: 20 , Issue: 1 , March 1972

Pages:75 - 78

[\[Abstract\]](#) [\[PDF Full-Text \(504 KB\)\]](#) **IEEE JNL**
3 The DIN method: a new approach for measuring and rating data processing performance*Dirlwanger, W.;*

Computer Performance and Dependability Symposium, 1996., Proceedings of International , 4-6 Sept. 1996

Pages:200 - 209

[\[Abstract\]](#) [\[PDF Full-Text \(772 KB\)\]](#) **IEEE CNF**
4 ISO standards for the user interface*Bevan, N.;*

User Interfaces and Standardisation, IEE Colloquium on , 27 Jan 1989

Pages:1/1 - 1/3

[\[Abstract\]](#) [\[PDF Full-Text \(116 KB\)\]](#) [IEE CNF](#)

5 Precision ovens for thermal endurance evaluation of electrical insulation material

Steinhaus, R.R.;

Electrical Electronics Insulation Conference and Electrical Manufacturing & Co Winding Conference, 1993. Proceedings., Chicago '93 EEIC/ICWA Exposition , Oct. 1993

Pages:635 - 638

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) [IEEE CNF](#)

6 Application of the Monte Carlo method to estimate the tenth-value thickness for X-rays in medical electron accelerators

Rodenas, J.; Verdu, G.;

Particle Accelerator Conference, 1993., Proceedings of the 1993 , 17-20 May
Pages:647 - 649 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) [IEEE CNF](#)

7 An innovative silicon solution for universal power measurement

Simpson, D.; Suntken, A.;

AFRICON '92 Proceedings., 3rd AFRICON Conference , 22-24 Sept. 1992

Pages:533 - 536

[\[Abstract\]](#) [\[PDF Full-Text \(228 KB\)\]](#) [IEEE CNF](#)

8 CATV cable assemblies: screening requirements and performance

Fowler, E.P.;

Electromagnetic Compatibility, 1999. EMC York 99. International Conference . Exhibition on (Conf. Publ. No. 464) , 12-13 July 1999

Pages:84 - 88

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) [IEE CNF](#)

9 A new approach to AC motor selection and checking

Ilinski, N.F.;

Electrical Machines and Drives, 1995. Seventh International Conference on (C Publ. No. 412) , 11-13 Sep 1995

Pages:32 - 36

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) [IEE CNF](#)

10 Software assessment: ten years on

Froome, P.;

Assessment and Certification of Software, IEE Colloquium on , 9 Nov 1993

Pages:3/1 - 3/2

[\[Abstract\]](#) [\[PDF Full-Text \(80 KB\)\]](#) [IEE CNF](#)

11 A car-use mini disc (MD) changer

Tomita, M.; Kakuta, Y.; Nakagawa, K.; Kishikawa, S.; Gotoh, K.; Yoshihara, T.; Nakanishi, Y.;

Consumer Electronics, IEEE Transactions on , Volume: 41 , Issue: 3 , Aug. 19
Pages:827 - 835

[\[Abstract\]](#) [\[PDF Full-Text \(588 KB\)\]](#) **IEEE JNL**

12 Requirements for the first international imaging standard

Blum, C.; Hofmann, G.R.; Kromker, D.;

Computer Graphics and Applications, IEEE , Volume: 11 , Issue: 2 , March 19
Pages:61 - 70

[\[Abstract\]](#) [\[PDF Full-Text \(840 KB\)\]](#) **IEEE JNL**

13 Applications of mathematical models in lead-acid battery design

Gu, H.;

Aerospace and Electronic Systems Magazine, IEEE , Volume: 5 , Issue: 8 , Au
1990

Pages:3 - 6

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) **IEEE JNL**

**14 Short-circuit effects in HV substations with strained conductors-
systematic full scale tests and a simple calculation method**

Herrmann, B.; Stein, N.; Kiessling, G.;

Power Delivery, IEEE Transactions on , Volume: 4 , Issue: 2 , April 1989
Pages:1021 - 1028

[\[Abstract\]](#) [\[PDF Full-Text \(652 KB\)\]](#) **IEEE JNL**

15 Introduction to DeviceNet safety

Schiffer, V.; Vandesteeg, K.W.; Vasko, D.A.; Lenner, J.A.;

Factory Communication Systems, 2000. Proceedings. 2000 IEEE International
Workshop on , 6-8 Sept. 2000

Pages:293 - 300

[\[Abstract\]](#) [\[PDF Full-Text \(632 KB\)\]](#) **IEEE CNF**

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Groups Search](#)
[Preferences](#)
 -
Groups Results 1 - 10 of about 536 from May 12, 1981 to Feb 28, 2000 for **DIN controller "1/8 "**. (1.10 secor

Sorted by relevance [Sort by date](#)

 Related groups: [rec.audio.marketplace](#)
[comp.home.automation](#)
[Sponsored Links](#)

Car Audio Equipment for Sale

... FOR USE WITH PIONEER CD CHANGER **CONTROLLER** or CDP70FM ...
 EQUALIZER WITH DIGITAL SIGNAL PROCESSOR - Full **DIN**, 3 EQ Bands ...
 Wire Kit Included, Dimensions: 8 1/8" x 10 5 ...
[rec.audio.marketplace](#) - Aug 15, 1997 by DavesAud@aol.com - [View Thread](#)
 (16 articles)

DIN Standards Available

DIN Standards Available from
 Global Engineering Documents
[global.ihs.com](#)

[See your message here...](#)

Re: X10 Help -- CP290 controller cable schematic?

... To Send CTS In Out 9 Ring Indicator RI In Out DB9->DB25 1 ---- 8 2 ---- 3 ... a DB25
 connector is "signal ground" and would go to pin 3 off the **DIN** connector, pin ...
[comp.home.automation](#) - Aug 9, 1997 by Mike Naylor - [View Thread](#) (3 articles)

Re: Thrustmaster GP1 with split axis

... in the base unit right beside the wheel unit's **Din** connector (I ... to +5v (eg: any wire going
 to pin 1, 8, or 9 ... have to re-set your racing games' **controller** setups ...
[rec.autos.simulators](#) - Aug 12, 1999 by =rez= - [View Thread](#) (1 article)

F-Corp. pricelist 15.04.99 (2/2)

... на обычную M/b (PS/2 -->**DIN**) | - | 1,5 ... DC-390 | 6 | 53 | 52 **Controller** PCI SCSI-
 2 ... фильтр (типа PILOT) < 3м > | 1 | 8 | 7,5 ...
[fido7.pvt.exch.pricelist comp](#) - Apr 15, 1999 by Mickael Parfyonov - [View Thread](#) (1 article)

Re: PID controllers

... You could do all this with a PIC or STAMP computer, but then the cost (If you buy) is just
 as large as finding an old 1/8 **DIN** industrial **controller** at a flea ...
[rec.crafts.brewing](#) - Apr 14, 1997 by Clinton W Schneider - [View Thread](#) (1 article)

Re: INFO wanted:TRS-80 Color 2


... Expansion unit that brings out 4 slots, or a disk drive **controller**. ... The cable has a 5-pin
DIN on one end ... recorder (to turn it on and off), a gray 1/8" plug that ...
[comp.sys.tandy](#) - Feb 14, 1995 by Glenn Mandelkern - [View Thread](#) (3 articles)

ActionMedia II card?

... DB-15, one 5-pin **DIN**, one 8-pin **DIN**, and what appears to be hole for an 1/8" mini-
 plug ... What about the SCSI **controller** that is supposedly built into this ...
[comp.sys.ibm.pc.hardware.video](#) - Feb 15, 1998 by Richard Singles - [View Thread](#) (1
 article)

LaserWriter NTR and a "bug??"

... It's RISC based and has 3 ports: 1. 8-pin **din** for ... is 9! It was very easy to install the
controller into the ... connected one to the Mac and one to the **DIN** 8 on ...
[comp.unix.aux](#) - Oct 9, 1992 by Dennis Govoni - Federal Area S.E. Washington D.C. - [View](#)
[Thread](#) (1 article)

 internet.com

[Internet News](#)
[Internet Investing](#)
[Internet Technology](#)
[Windows Internet Tech](#)
[Linux/Open Source](#)
[Web Developer](#)
[ECommerce/Marketing](#)
[ISP Resources](#)
[ASP Resources](#)
[Wireless Internet](#)
[Downloads](#)
[Internet Resources](#)
[Internet Lists](#)
[International](#)
[EarthWeb](#)
[Career Resources](#)
[Search internet.com](#)
[Advertising Info](#)
[Corporate Info](#)

Internet Commerce
[Be a Commerce Partner](#)
[Find IT Products](#)
[Spyware Killer](#)
[Dedicated Servers](#)
[Web directory](#)
[Web Hosting](#)
[Free Credit Report](#)
[Cheap Web Hosting](#)
[Domain registration](#)
[Auto Insurance](#)
[Music](#)

10BaseT Ethernet testing services

This page, hosted by the University of New Hampshire's Interoperability Lab, contains links to service overviews, registration information, newsletters, and technical and educational information.

Fast Ethernet design rules

This page details the procedures for designing a Fast Ethernet (100 Base-TX, 100 Base-FX) network.

Quick reference guide to 10 Mbps Ethernet

Offers a collection of documents describing the Ethernet system and the many varieties of 10-Mbps Ethernet media.

WinDrivers.com
Sign Up Today for your
Premium Membership!
Keep your Windows-based
systems running at their best.

Copyright 2002 Jupitermedia Corporation All Rights Reserved.
Legal Notices, Licensing, Reprints, & Permissions, Privacy Policy.


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

1/8 DIN and 1/16 DIN

Search

[Advanced Groups Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Groups

Results **31 - 40** of about **1,420** for **1/8 DIN and 1/16 DIN**. (0.55 seconds)

Sorted by relevance [Sort by date](#)

Price ЧП "СОКОЛ" part 7

... IDC Кабель для модема универсальный 1,8 м 25M ... Plug Molded Type 0 1,16 RCA Plug to ... AMGC-5F6M Мини переходник DIN 5F TO ... [kiev.fido.xchg.comp.price](#) - Jan 12, 2004 by Yevgeny Sokolnikov - [View Thread](#) (3 articles)

Sponsored Links

DIN Standards Available
DIN Standards Available from
 Global Engineering Documents
[global.ihs.com](#)

Re: Silvia PID Observations / Questions

Rich's box problem comes from the fact that he's using a 1/8 DIN PID and not the 1/16 (any of the square faced ones) or 1/32 (Fuji PXV3, etc) DIN units. ... [alt.coffee](#) - Apr 9, 2003 by Rob Yokom - [View Thread](#) (26 articles)

Discount 16 Din

Check out the car electronics now!
16 Din for sale. aff
[www.ebay.com](#)

Index over dansk-sproget shareware

... <http://www.itm.dk/simon/ssa/info/1-8.htm> Programnavn ... Win 95/NT Beskrivelse: Hold orden i din møntsamlng. ... <http://www.itm.dk/simon/ssa/info/1-16.htm> Programnavn ... [dk.opslag.internet](#) - Jun 15, 1997 by Simon ES - [View Thread](#) (543 articles)

And 1

Cheap deals on everything.
 Start saving today! -aff
[eBay.com](#)

[See your message here...](#)

ARA script for Telebit T3000

... 1/16/92 JFK - Add a bunch more comments about the cable. !! ... **Din-8** DB-25 ! 1 (DTR) 4,20 (RTS, DTR) ! ... LABEL 6 ifstr 2 8 "1" pause 5 matchstr 1 8 "OK\13\10 ... [comp.sys.mac.comm](#) - Jan 18, 1992 by Jim Kateley - [View Thread](#) (1 article)

Re: Plywood sheet sizes

... that 4" BSP is actually the same as 100 mm DIN (German). To carry on measuring boat parts in feet, inches, 1/8 ths with + to indicate an extra 1/16" seems to ... [rec.boats.building](#) - May 21, 2001 by Roger Dewhurst - [View Thread](#) (29 articles)

Re: CHRP

... 8 72-bit DRAM SIMM Sockets 72-pin 1 8-bit flash ... 3 Infrared (IR) I/O ports 6-pin mini **DIN** 1 Internal ... 1 Headphone output stereo phono jack 3.5 mm 1 16-bit stereo ... [maus.sys.archimedes](#) - Nov 21, 1995 by Andreas Joos - [View Thread](#) (5 articles)

Price ЧП "СОКОЛ" part 6

... 75 IDC Кабель для модема универсальный 1,8 м 25M ... Plug Molded Type 0 1,16 RCA Plug ... AMGC-5F6M Мини переходник DIN 5F TO ... [kiev.fido.xchg.comp.price](#) - Jan 21, 2004 by Yevgeny Sokolnikov - [View Thread](#) (3 articles)

Re: Long Wire Antenna Questions

... With both w3cul and k2sb in the neighborhood it **din** take long ... More of the 1/16" fiberglass, I presume ... both center and end insulators already made from 1/8" and 1 ... [rec.radio.amateur.antenna](#) - Apr 1, 1999 by Brian Kelly - [View Thread](#) (108 articles)

Bloody Kim Hughes

... 1 158.00 1-158 0 0 JR Thomson 79 12 295 3 98.33 1-16 0 0 ... Qasim 118.4 45 228 8 28.50 2-28 0 0 Jalal-ud-Din 35 12 ... 1 0 2 0 Mudassar Nazar 37 6 89 1 89.00 1-8 0 0 ... [rec.sport.cricket](#) - Oct 28, 1998 by Mad Hamish - [View Thread](#) (5 articles)

Re: Holzfeuchte im Dachstuhl

... Nach **DIN 280** muß Parkett bei der Lieferung einen Feuchtegehalt von 9 (+/-) 2% haben ... 3 85% 18,1 18,0 18,0 17,9 17,5 17,1 **16,9** 80 ... 10,1 10,0 9,9 9,7 9,4 9,1 8,8 50 ...
[de.sci.architektur](#) - Nov 13, 2000 by Tobias - [View Thread \(18 articles\)](#)

◀ **Goooooooooooooooooooooogle** ▶

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **Next**

1/8 DIN and 1/16 DIN

Search

[Groups Help](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

**How does AMD's new
64-bit x86 processor work?**

internet.com **(Webopedia)** The #1 online encyclopedia
dedicated to computer technology

Enter a keyword... or choose a category...

MENU

- [Home](#)
- [Term of the Day](#)
- [New Terms](#)
- [New Links](#)
- [Quick Reference](#)
- [Did You Know?](#)
- [Search Tool](#)
- [Compare Prices](#)
- [Tech Support](#)
- [Webopedia Jobs](#)
- [About Us](#)
- [Link to Us](#)
- [Advertising](#)



- [Submit a URL](#)
- [Request a Term](#)
- [Report an Error](#)

10BaseT

Last modified: Monday, May 18, 1998

One of several adaptations of the Ethernet (IEEE 802.3) standard for Local Area Networks (LANs). The 10Base-T standard (also called *Twisted Pair Ethernet*) uses a twisted-pair cable with maximum lengths of 100 meters. The cable is thinner and more flexible than the coaxial cable used for the 10Base-2 or 10Base-5 standards.

Cables in the 10Base-T system connect with RJ-45 connectors. A star topology is common with 12 or more computers connected directly to a hub or concentrator.

The 10Base-T system operates at 10 Mbps and uses baseband transmission methods.

•[E-mail this definition to a colleague](#)•

For internet.com pages about **10BaseT** **CLICK HERE**. Also check out the following links!

LINKS

= Great Page!

10BaseT basics

Provides an overview of 10BaseT and describes topology and cabling, advantages and disadvantages, and cabling considerations.

Related Categories

[Ethernet](#)

Related Terms

[5-4-3 rule](#)

[attenuation crosstalk ratio](#)

(webopedia)

[Give Us Your Feedback](#)

Re: Toshiba T5100 Laptop Comm Port QQuestion

... is a series of **DIN** switch near ... 1 Keyboard 2 Interrupt **Controller** 2 for ... Disk ----- 7

Printer **1 8** RTC 9 ...

[comp.sys.laptops](#) - Jul 17, 1995 by Jim Franklin - [View Thread \(2 articles\)](#)

>> FOR SALE - CLARION - MTX <<

... AM/FM CD Player w/CD Changer **Controller** - **DIN** Chassis w ... DetectorTM Mute Circuit

- Infrared Remote Control - **Controller** for Optional EQ ... 1/4" X 9" X 2 1/8" (33.7cm ...

[rec.audio.car](#) - Jun 27, 1997 by Dead Silence - [View Thread \(1 article\)](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Groups Help](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google